



JLG® ROUGH TERRAIN SCISSORS

JLG®

reachingout™

JLG® Rough Terrain

REACHING OUT

On the job site, days are measured by productivity. Your productivity. Which means you need equipment that stands up to the day's demands. JLG has what you need so you can put in the most productive day possible. Scissor lifts that can handle more workers and supplies in one shot.

Whether you're treading on slab or off, JLG® Scissor Lifts provide superior performance and reliability. Our engine powered scissor lifts deliver exceptional terrainability and gradeability. JLG RT Scissor Lifts have the capacity to accommodate both workers and our exclusive Workstation in the Sky® accessories.

Give your day's productivity a major boost upward with JLG Rough Terrain Scissor Lifts.

**UNLEASH MACHINES
THAT DRIVE YOUR
PERFORMANCE HIGHER**



NARROW DESIGN, EASY MOBILITY

With standard four-wheel drive, rugged lug tread tyres and 35% gradeability, you'll be able to keep work moving, on or off slab. The 260MRT compact scissor lift delivers exceptional mobility thanks to a narrow 1.75 m chassis that gets you into those challenging spots.

A large work platform with a 1.22 m roll-out deck extension keeps everything you need within arm's reach. Simplified ground control wiring and built-in diagnostics are provided for serviceability.

HIGHER CAPACITIES, BIGGER PLATFORMS

The powerful RT Series lets you work more efficiently on the job, over a range of applications, with increased lift capacities, bigger platforms and a choice from 12.6 m to 18.3 m working height. When you want to finish on time and on budget, put the RT Series to work for you. The exclusive MegaDeck® platform gets more people and materials up to your work area for optimum productivity and provides over 13.5 m of work space. This is critical when you have applications requiring multiple sheets of drywall or siding.

Set up quickly and efficiently with the optional one-touch leveling jacks. With an average leveling time of 15 to 30 seconds, you can cut set up time by 100% compared to other scissor lifts.



4WD

The 260MRT features standard four-wheel drive with 35% gradeability.



Capacity

The 260MRT provides improved scissor rigidity and a large deck space with a capacity of 570 kg maximum.




Terrainability

Up to 45% gradeability and hydrostatic 4-wheel drive delivers unmatched terrainability.



Leveling Jacks

Faster leveling capabilities with optional one-touch leveling jacks.



260MRT

Rough Terrain Scissor Lifts

Platform Height	7.92 m
Platform Capacity	570 kg
Capacity on Extension	140 kg
Platform Size	1.65 x 2.59 m
Overall Width	1.75 m
Weight	3,390 kg
Diesel Engine – Kubota D1005	23.5 hp (17.5 kW)

Available Options

Flashing Amber Beacon	•
Leveling Jacks	•
Platform Worklights	•
13 mm Air Line to Platform	•
1.22 m Manual Front Deck extension	•

MAIN FEATURES

- 4-Wheel Drive
- Automatic Transmission
- AC Powercable to Platform
- Self-Closing Entry Gate


3394RT 4394RT 5394RT

Rough Terrain Scissor Lifts

Platform Height	10.06 m	13.11 m	18.3 m
Platform Capacity	1,020 kg	680 kg	680 kg
Capacity on Extension	225 kg	225 kg	227 kg
Capacity w/Dual Extensions	905 kg	565 kg	680 kg
Platform Size	2.18 x 3.81 m	2.18 x 3.81 m	1.87 x 3.96 m
Overall Width	2.39 m	2.39 m	2.31 m
Weight	6,600 kg	7,100 kg	7,994 kg
Engine	Diesel Engine - Deutz D2011L03 36.4 kW	Diesel Engine - Deutz D2011L03 36.4 kW	Kubota Diesel D1305-E3B 21.7 kW

Available Options

Flashing Amber Beacon	•	•	•
Leveling Jacks	•	•	•
Platform Worklights	•	•	•
13 mm Air Line to Platform	•	•	•
1.22 m Powered Dual Deck extensions	•	•	•
1.22 m Manual Rear Deck extension	•	•	•



MAIN FEATURES

- Oscillating front axle
- 4-Wheel Drive
- Automatic transmission
- AC Powercable to platform
- Self-Closing entry gate